




# ECOGRID N40

01/2019

## PARAMETERS



Biologically active area in: **85%**

Height: **4 cm**

Dimensions: **50 cm / 50 cm (4 pcs./m<sup>2</sup>)**

Colour: **black**

Weight: **1.4 kg (5.6 kg/m<sup>2</sup>)**

Compressive strength up to **1000 t**

Durability: **25 years in natural soils 4<pH<9**

✔ **Product compliant with  
the standard PN-EN13249:2016**

## APPLICATION




roads and driveways




hardening of slopes  
and embankments




airports and airfields




roads and driveways



vehicle manoeuvre areas



camping grounds



pavements, promenades



animal enclosures,  
paddocks



other load-bearing  
surfaces

## PACKAGING

number of pieces per pallet: **240**

quantity of m<sup>2</sup> per pallet: **60 m<sup>2</sup>**

pallet size: **120/120**

pallet height: **2.1 m**

gross pallet weight: **390 kg**






# ECOGRID N40

01/2019

## PARAMETERS



Biologically active area in: **85%**

Height: **4 cm**

Dimensions: **50 cm / 50 cm (4 pcs./m<sup>2</sup>)**

Colour: **black**

Weight: **1.4 kg (5.6 kg/m<sup>2</sup>)**

Compressive strength up to **1000 t**

Durability: **25 years in natural soils 4<pH<9**

✔ Product compliant with  
the standard **PN-EN13249:2016**

## APPLICATION




roads and driveways




hardening of slopes  
and embankments




airports and airfields




roads and driveways



vehicle manoeuvre areas



camping grounds



pavements, promenades



animal enclosures,  
paddocks



other load-bearing  
surfaces

## PACKAGING

number of pieces per pallet: **240**

quantity of m<sup>2</sup> per pallet: **60 m<sup>2</sup>**

pallet size: **120/120**

pallet height: **2.1 m**

gross pallet weight: **390 kg**






# ECOGRID N40

01/2019

## PARAMETERS



Biologically active area in: **85%**

Height: **4 cm**

Dimensions: **50 cm / 50 cm (4 pcs./m<sup>2</sup>)**

Colour: **black**

Weight: **1.4 kg (5.6 kg/m<sup>2</sup>)**

Compressive strength up to **1000 t**

Durability: **25 years in natural soils 4<pH<9**

✔ **Product compliant with  
the standard PN-EN13249:2016**

## APPLICATION




roads and driveways




hardening of slopes  
and embankments



airports and airfields




roads and driveways



vehicle manoeuvre areas



camping grounds



pavements, promenades



animal enclosures,  
paddocks



other load-bearing  
surfaces

## PACKAGING

number of pieces per pallet: **240**

quantity of m<sup>2</sup> per pallet: **60 m<sup>2</sup>**

pallet size: **120/120**

pallet height: **2.1 m**

gross pallet weight: **390 kg**

